

Cola®Mate DSLS

Liquid Sulfosuccinate

INCI Disodium Laureth Sulfosuccinate

CAS 68815-56-5

LISTINGS USA (TSCA); Canada (DSL); Australia (AICS); Japan (MITI); Korea (KECI); China (IECSC);

Philippines (PICCS); New Zealand (NZIOC); Taiwan (NECI)

OVERVIEW

Cola®Mate DSLS is a very mild, nearly colorless, sulfosuccinate derived from a three mole ethoxylated lauryl alcohol. Cola®Mate DSLS provides excellent foam properties which can be enhanced by blending with sodium laureth sulfate. The combination of these two surfactants provides a product that is mild to both skin and eye, has good foam performance, and improves viscosity response. This grade is preserved with KATHON™ CG.

PRINCIPLE USES

- Bath gels
- · Mild shampoos
- Light colored shampoos
- · Light colored bubble baths
- · Mild bubble baths
- · Viscosity modifier

TYPICAL PROPERTIES

Appearance (25°C)	Clear Liquid
pH (10% aqueous)	5.0 – 7.0
% Solids	38.0 – 41.0
% Sodium Sulfite	0.02 Max.
% Anionic Content	29.0 Min.
Color, Gardner BYK	1.5 Max.

STORAGE / HANDLING

Cola®Mate DSLS should be stored in closed containers. Frozen material may be thawed in a warm room, venting drums while warming. Shipped in 55 gallon poly drums (net weight 450 lb/204.1 kg) or bulk. Typical shelf life is 24 months from date of manufacture. Safety Data Sheets may be found at *www. colonialchem.com*.

FORMULATION

Мо	isturizing Body Wash Sulfate-Free	#2022
	INGREDIENT	%
1	Water qs to	100.00
2	Suga®Nate 160NC / Sodium Laurylglucosides Hydroxypropyl- sulfonate	18.80
3	Pureact WS Conc / Sodium Methyl Cocoyl Taurate	9.60
4	Cola®Teric LMB / Lauramidopropyl Betaine	8.80
5	Cola®Mate DSLS	6.20
6	Cola®Moist 200 / Hydroxypropyl Bis-Hydroxyethyldimonium Chloride	2.40
7	Poly Suga®Quat L1010P / Polyquaternium 78	1.60
8	Fragrance	0.20
9	Microcare® SB / Sodium Benzoate and Potassium Sorbate	1.00

Procedure: Combine ingredients 1-2 with moderate mixing. Heat to 40 – 50°C. Once at temperature, add remaining ingredients in order. Once homogeneous, cool below 40°C.

Properties:

Appearance: Clear Viscous Liquid

pH: 5.0 – 6.0

Viscosity: 5,000 – 10,000 cP

Colonial Chemical, Inc.

225 Colonial Drive · South Pittsburg, TN 37380 Phone: 423-837-8800 · Fax: 423-837-3888 www.colonialchem.com

Innovative Specialty Surfactants